



Kalon

Chemicals Company

www.kalonchemicals.com



We Provide: Water Proofing, Paints,
Construction Chemicals,
Heat Insulation and Wood Polishing
products and Services.

For further details on our products and services, visit our website or call 051-5913226

WHO WE ARE?



General Business : Kalon Chemicals Company is the sister concern company of Pakistan phythalates Ltd which was established in 1987 at Islamabad. Pakistan phythalates had been involved in manufacturing of binders (PVA & Acrylics). We had successfully provided raw materials for paints to Pakistan Paint Manufacturers at Lahore, Karachi and Faisalabad. Among these local paint manufacturers our clients encompassed ICI, Nippon and at times Berger Paints (Buxly Paints). Based on the decision of the company to diversify our manufacturing activities; we have established this company (Kalon Chemicals Company) as a manufacturer of finish products of construction chemicals.

OUR SERVICES



1. Water Proofing
2. Heat Insulation
3. Paint (Interior & Exterior)
4. Epoxy Flooring
5. Construction Chemicals

WATER PROOFING



Elastomeric Coatings:

Elastomeric coating is a single component exterior wall or roof coating that is approximately ten times thicker than normal coating and flexible too. It helps water proof exterior surface of structure.

WATER PROOFING

Elastomeric Coatings:



WATER PROOFING

Elastomeric Coatings:

1. Cleaning of surface.



WATER PROOFING

Elastomeric Coatings:

2. Crack Filling with PP007 Plasticized Chemical.



WATER PROOFING

Elastomeric Coatings: 3.Application of Primer Coat.



WATER PROOFING

Elastomeric Coatings:

4.Application of 3 Coats of Elastomeric coating.



HEAT INSULATION

A decorative horizontal bar consisting of five colored segments: blue, green, yellow, red, and cyan.

Heat Insulation:

❖ Formulation Of PU

- MDI(Methylene Diphenyl Diisocynate)
- Polyol

❖ Why PU is Recommended ?

- Joint Less
- Best filler for cracks
- Sound Proof
- R value is 6.67 per Inch
- Five to Twenty Degrees temperature difference depends upon PU thickness

HEAT INSULATION



Heat Insulation:



HEAT INSULATION

Heat Insulation:



PAINT (INTERIOR & EXTERIOR)



Interior Paint:

- 1. Wall Putty**
- 2. Super Emulsion**
- 3. Plastic Emulsion**
- 4. Stain Free**

Exterior Paint:

- 1. Exterior Wall Putty**
- 2. Weather Shield**

SPECIAL PAINT



ANTI FUNGAL PAINT:



SPECIAL PAINT



Fire Retardant Paint:



EPOXY FLOORING

❖ What is Epoxy?

Combination of two components

- (a) Resin
- (b) Hardener

❖ Benefits of Epoxy Flooring:

- Durable and resistant
- Resistant to chemicals
- Attractive floor surface
- Joint less
- Fast application
- Easy to clean

❖ Recommended thickness

- For coating up to 300 to 500 microns
- For Flooring 1mm to 3mm

Epoxy Flooring for Parking


EPOXY FLOORING



EPOXY FLOORING



EPOXY MODIFIED GROUT



Epoxy Modified Tile Grout



CONSTRUCTION CHEMICAL



PP-30:

PP-30 is super plasticizer which helps to fill capillaries and hair cracks in concrete. It is also used to enhance the strength of concrete.




OUR CLIENTS



OUR CLIENTS



OUR CLIENTS



CONTACT US



Business Information:

- Business Name: Kalon Chemicals Company.
- Business Address: Office Number 5, First Floor, Blessing Heights, D-Markaz, Gulberg Greens, Islamabad
- Plant Address: Plot Number 43, Street S2, Rawat Industrial Estate, Islamabad
- Email: info@kalonchemicals.com
- Web: www.kalonchemicals.com
- Tel: (051) 591 3226